09786364 Michael J. Simitoski Michael.Simitoski@uspto.gov (703) 305-8191

Google

keyboard encryptor
"secure mouse" encrypt key
"secure keyboard" encrypt key

ACM

<u>IEEE</u>

Other

Search tool web crawler (date restricted)

Search Terms ("secure mouse")

Applications/Patents from Inventor Search

none

nest Available Copy

L	Hits	Search Text	DB	Time stamp
Numbe				-
1	0	<pre>@ad<19980917 and ("secure command interpreter")</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/09/09 14:47
2	598	@ad<19980917 and ("command interpreter")	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/09 14:47
3	A185 (78)	(@ad<19980917 and ("command interpreter")) and (interpreter with (remote mouse keyboard peripheral	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/09
_	2	intercept\$3)) "200017758"	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/08 07:53
-	ABS (38)	"secure mouse"	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/08 07:54
_	ACES (1)	"secure mouse"	DERWENT; IBM_TDB IBM_TDB	2004/09/08 07:54
	1	("5987155").PN.	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/09/08 10:27
-	1	("5596718").PN.	USPAT; US-PGPUB; EPO; JPO;	2004/09/08 10:27
-	full (9	(("5987155") or ("5596718") or ("5605406") or ("5745055") or ("5809143") or ("5748888") or ("5742758") or ("5359660") or ("5305384")).PN.) and ad<19980917	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/08 10:41
-	xw 7 (33)	(keyboard mouse) adj (sniff\$3 logg\$3)	USPAT; US-PGPUB; EPO; JPO;	2004/09/08 12:58
	FW16 (15	((keyboard mouse) adj (sniff\$3 logg\$3)) and (\$2crypt\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/08
_	ABS + (1)	(((keyboard mouse) adj (sniff\$3 logg\$3)) and (\$2crypt\$3)) and @ad<19980917	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/08
_	751	@ad<19980917 and (keyboard keystroke) same encrypt\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/09/08 13:00
-	489	(@ad<19980917 and (keyboard keystroke) same encrypt\$3) and decrypt\$3	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/09/08 13:00
-	350	((@ad<19980917 and (keyboard keystroke) same encrypt\$3) and decrypt\$3) and secure	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/09/08 13:01
-	ABS 5	(((@ad<19980917 and (keyboard keystroke) same encrypt\$3) and decrypt\$3) and secure) and sniff\$3	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/09/08 13:03
-	ceernal 159	"secure keyboard" Dook Available	USPĀT; US-PGPUB;	2004/09/08
		Pest Available C	OOYDB	

	A)		
-	ABS /15	secure keyboard" and 713.clas.	USPAT;	2004/09/08
			US-PGPUB;	13:03
	.0		EPO; JPO; IBM TDB	
_	wil/ 23	shoulder adj surfing	USPAT;	2004/09/08
	W 23	shoulder adj surring	US-PGPUB;	13:04
			EPO; JPO;	
			IBM TDB	
-	1001C (6)	(shoulder adj surfing) and @ad<19980917	USPĀT;	2004/09/08
			US-PGPUB;	13:23
			EPO; JPO;	
	<u> </u>		IBM_TDB	
-	1	("5596718").PN.	USPAT;	2004/09/08
			US-PGPUB; EPO; JPO;	13:33
			IBM TDB	
_	28	V ("3956615" "4104721" "4177510"	USPAT	2004/09/08
	$\Delta 65 \left(\frac{28}{28} \right)$	"4227253" "4238854" "4264782"	V	13:23
	'	"4438824" "4442484" "4575797"		
1		"4578530" "4621321" "4629872"		
ĺ		"4648031" "4652698" "4713753"		
		"4825050" "4885789" "4888801"		
		"4918653" "4965568" "4980913"		
		"4998279" "5018096" "5065429"		
		"5070528" "5148479" "5272754"		
_		"5283828").PN. ("5467403").PN.	USPAT;	2004/09/08
	1		US-PGPUB;	13:39
			EPO; JPO;	13.33
)	IBM TDB	
-	ABS /45/	mouse near secure	USPAT;	2004/09/08
			US-PGPUB;	14:00
			EPO; JPO;	
			IBM_TDB	
-	286	keyboard with encryption	USPAT;	2004/09/08
			US-PGPUB; EPO; JPO;	14:00
			IBM TDB	
_	40	(keyboard with encryption) same secure	USPAT;	2004/09/08
	10	(Reyboard with eneryption) bame becare	US-PGPUB;	14:00
			EPO; JPO;	
	ABS /	1)	IBM TDB	
-	4 / 20	((keyboard with encryption) same secure)	USPAT;	2004/09/08
	1, 21	and @ad<19980917	US-PGPUB;	14:03
	icu -		EPO; JPO;	
	222	0.1410000017	IBM_TDB	2004/00/00
-	332	@ad<19980917 and (biometric) and	USPAT;	2004/09/08 14:04
	_	(encrypt\$3)	US-PGPUB; EPO; JPO;	1 1 1 1 1 1
	1000	1)	IBM TDB	
_	ABS /39	@ad<19980917 and (biometric) and	USPAT;	2004/09/08
		(finger\$7 with encrypt\$3)	US-PGPUB;	14:05
	0(1-		EPO; JPO;	
	A85/		IBM_TDB	
-	'X / 22	@ad<19980917 and (biometric) and	USPAT;	2004/09/08
	الماديم يا	(finger\$7 with encrypt\$3) and database	US-PGPUB;	15:27
	ľ		EPO; JPO;	
_	1778	And 1999,0917 and name there and / no	IBM_TDB USPAT;	2004/09/08
-	1//8	@ad<19980917 and asynchronous and (rs adj "232")	US-PGPUB;	15:28
		232 1	EPO; JPO;	
	1 1	<u> </u>	IBM TDB	
_	16	dad<19980917 and ((asynchronous and (rs	USPAT;	2004/09/09
	ABS 5	adj "232")) same mouse)	US-PGPUB;	09:52
1		<u> </u>	EPO; JPO;	
1	115	\	IBM_TDB	2004/00/00
-	KWY / 9	pad<19980917 and (encrypt\$3 same (usb	USPAT;	2004/09/09
	' (serial) same key same peripheral)	US-PGPUB;	10:22
			EPO; JPO;	
L			IBM TDB	

Test Available Copy

Particular Par					
### Same key) Sad<19980917 and biometric and (((authenticat3 identify9 verif\$9) with server) same remote) ((authenticat3 identify9 verif\$9) with server) same remote) ((authenticat3 identify9 verif\$9) with server) same remote) ((authenticat3 identify9 verif\$9) with server) ((authenticat3 identify9 verif\$9) with mid width with mid with mid with mid with mid with mid with server) ((authenticat3) with mid with with with with with with with with	[-	// 11	@ad<19980917 and ((mouse keyboard	USPAT;	2004/09/09
BM TDB		17/			07:36
Separation Sep		10 5 J	same key)		
Server same remote) Server Server same same same same same same same same)		2004/00/00
Server same remote Report JPO	-	WIL / / 21			
The TDB		¹ 5/ /			09:11
2004/09/09 2004/09/09			Server) same remote)		
Continue	_	/ //)//"5987155"\ or ("5596718") or		2004/09/09
or ("574888") or ("539560") or ("539560") or ("539560") or ("539560") or ("539560") or ("539560") or ("5390143") or ("5740258") or ("5809143") or ("57435960") or ("5742758") or ("5309143") or ("539560") or ("530560") or ("5305		1,51	1 ("5605406") or ("5745055") or ("5809143")		
Continue		ABS 5 4	or ("5748888") or ("5742758") or		
Continue					
C'*5605406") or ("\$745055") or ("\$809143") US-PGPUB; PFO; JFO; ("\$5359660") or ("\$305384").PN.) and mouse Mouse keyboard) USPAT;	_	(/ 6	((("5987155") or ("5596718") or		2004/09/09
Continue		\ \ /	("5605406") or ("5745055") or ("5809143")	US-PGPUB;	09:30
Description				EPO; JPO;	
Section Sect			("5359660") or ("5305384")).PN.) and	IBM_TDB	
Subsection Sub					/
Below Belo	-	653	biometric with (mouse keyboard)		
Bin TDB USPAT; US-PGPUB; EPO; JPO; IPM TDB					09:30
Diametric adj (mouse keyboard)		la a	\		
Oscillation	_	199 /6	biometric adi (mouse koyboard)	_	2004/09/09
### EPC; JPO; TBM TDB USPAT; US-PGPUB; EPC; JPO; IBM TDB USPAT; US-PGPUB; EPC; JPO; IPM TDB USPAT; US-PGPUB; EPC; JPO; JPO; IPM TDB USPAT; US-PGPU	-	14.10	browerite ad /worse responded	<u> </u>	1 ' '
Cad<19980917 and (serial mouse) adj		Will C			
- 66 @ad<19980917 and (serial mouse) adj USPĀT; US-PCPUB; EPO; JPO; IBM_TDB USPĀT; US-PCPUB; EPO; JPO; JPO; IBM_TDB USPĀT; US-PCPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J		الم			
Cad<19980917 and (mouse) adj ("interface card")		66	@ad<19980917 and (serial mouse) adj	_	2004/09/09
BM TDB				US-PGPUB;	1
- ### 1 ### 2004/09/09					
Card")					
- ABS 3	-	3			1 ' '
### TDB USPAT; USPGPUB; EPO; JPO; IBM TD			card")	· ·	09:54
- ## ## ## ## ## ## ## ## ## ## ## ## ##		<i>M</i>			
Card") and bus US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; USPGPUB; EPO; JPO; IBM TDB USPAT;		has / _	dad < 10000017 and //	_	2004/00/00
EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TD	1 -	/ / 3			1
- 659		J.m. (1 card)) and bus		10.01
- 659 @ad<19980917 and (mouse with keypad) USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; U		pris -		· ·	
US-PGPUB; EPC; JPC; IBM TDB USPAT; US-PGPUB; USPAT; US-PGPUB; EPC; JPC; IBM TDB USPAT; US-PGPUB; USPAT; US-PGPUB; EPC; JPC; IBM TDB USPAT; US-PGPUB; EPC; IBM TDB USPAT; US-PGPUB; EPC; IBM TDB USPAT; US-PGPUB; EPC; IBM TDB	_	659	@ad<19980917 and (mouse with keypad)	_	2004/09/09
- 48 (ad<19980917 and (mouse adj keypad) - 48 (ad<19980917 and (mouse with (mini adj USPAT; US-PGPUB; EPO; JPO; IBM_TDB	1		, , , , , , , , , , , , , , , , , , , ,		
- ### 10:05 Pad<19980917 and (mouse with (mini adj keypad)) Pad -		n	J		
- ### 10:05 Pad<19980917 and (mouse with (mini adj keypad)) Pad -		cos /)		
Page	-	48	√@ad<19980917 and (mouse adj keypad)		1
- dad<19980917 and (mouse with (mini adj keypad)) - 1 ("5949881").PN. - 0 (ad<19980917 and ((memory ROM PROM EPROM EPROM EEPROM storage) with (non adj removable)) same tamper\$3 - 2247 (ad<19980917 and ((memory ROM PROM EPROM EPROM EPROM EPROM Storage) same tamper\$3) - 2247 (ad<19980917 and ((memory ROM PROM EPROM Storage) same integra\$4 same tamper\$3) - 211 (ad<19980917 and ((memory ROM PROM EPROM EP			<u></u>		10:05
- ("5949881").PN. ("SPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB US-PGPUB;			1)		
- 1 ("5949881").PN. USPĀT; US-PGPUB; EPO; JPO; IBM_TDB USPĀT; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB;		1 105 /1	And < 10000017 and (mouse with /mini = 44		2004/09/09
- 1 ("5949881").PN. USPĀT; US-PGPUB; EPO; JPO; IBM_TDB USPĀT; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB;	-	1 / 1			I
- 1 ("5949881").PN. USPĀT; US-PGPUB; EPO; JPO; IBM_TDB USPĀT; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB;		18,0	velban)		10.01
- 1 ("5949881").PN. USPĀT; US-PGPUB; EPO; JPO; IBM_TDB USPĀT; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB;		1000sh			
US-PGPUB; EPO; JPO; IBM_TDB O @ad<19980917 and ((memory ROM PROM EPROM EPROM EEPROM storage) with (non adj removable)) us-PGPUB; EPO; JPO; IBM_TDB 2247 @ad<19980917 and ((memory ROM PROM EPROM EPROM EEPROM storage) same tamper\$3) us-PGPUB; EPO; JPO; IBM_TDB EEPROM storage) same tamper\$3) us-PGPUB; EPO; JPO; IBM_TDB 211 @ad<19980917 and ((memory ROM PROM EPROM EPROM EEPROM storage) same integra\$4 same tamper\$3) 68 @ad<19980917 and ((memory ROM PROM EPROM EPROM EPROM EPROM EEPROM storage) same integra\$4 with EEPROM storage) with integra\$4 with Us-PGPUB; tamper\$3) 68 @ad<19980917 and ((memory ROM PROM EPROM EPROM EPROM EEPROM Storage) with integra\$4 with Us-PGPUB; tamper\$3)	_	l v	("5949881").PN.		2004/09/09
- 0 @ad<19980917 and ((memory ROM PROM EPROM EPROM EEPROM storage) with (non adj removable))			, , , , , , , , , , , , , , , , , , , ,		1 ' '
- 0 @ad<19980917 and ((memory ROM PROM EPROM EPROM EPROM EPROM Storage) with (non adj removable))					}
EEPROM storage) with (non adj removable)) same tamper\$3 - 2247 @ad<19980917 and ((memory ROM PROM EPROM EPROM EEPROM storage) same tamper\$3) - 211 @ad<19980917 and ((memory ROM PROM EPROM EPROM EEPROM storage) same integra\$4 same tamper\$3) - 211 @ad<19980917 and ((memory ROM PROM EPROM EEPROM EEPROM storage) same integra\$4 same tamper\$3) - 68 @ad<19980917 and ((memory ROM PROM EPROM EPROM EPROM EEPROM Storage) with integra\$4 with tamper\$3) - 68 @ad<19980917 and ((memory ROM PROM EPROM EPROM EEPROM Storage) with integra\$4 with tamper\$3) - 68 EEPROM storage) with integra\$4 with tamper\$3					
Same tamper\$3 EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPROM storage) same tamper\$3 USPAT; US-PGPUB; EPROM storage) same integra\$4 same tamper\$3 USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; EEPROM storage) with integra\$4 with US-PGPUB; EPO; JPO; US-PGPUB; EPO; US	-	0			1 ' '
- 2247 @ad<19980917 and ((memory ROM PROM EPROM EPROM EPROM EEPROM storage) same tamper\$3)					10:23
- 2247 @ad<19980917 and ((memory ROM PROM EPROM EPROM EPROM EEPROM storage) same tamper\$3)			same tamper\$3		j
EEPROM storage) same tamper\$3) - 211 @ad<19980917 and ((memory ROM PROM EPROM EPROM EEPROM storage) same integra\$4 same tamper\$3) - 68 @ad<19980917 and ((memory ROM PROM EPROM EPROM EPROM EPROM EPROM EPROM EPROM EPROM EPROM EEPROM storage) with integra\$4 with US-PGPUB; tamper\$3) - 68 @ad<19980917 and ((memory ROM PROM EPROM E		0017	0-4/10000017 //		2004/09/09
EPO; JPO; IBM_TDB - 211	-	2247			1
- 211 @ad<19980917 and ((memory ROM PROM EPROM EPROM EPROM EPROM Storage) same integra\$4 same tamper\$3)			ELPROM Storage; same tamper\$3)		10.23
- 211 @ad<19980917 and ((memory ROM PROM EPROM EPROM EPROM SEPROM storage) same integra\$4 same tamper\$3)					
EEPROM storage) same integra\$4 same tamper\$3) - 68 @ad<19980917 and ((memory ROM PROM EPROM USPAT; EEPROM storage) with integra\$4 with tamper\$3) EEPO; JPO; US-PGPUB; US-PGPUB; US-PGPUB; EEPO; JPO;		211	Rad<19980917 and I (memory ROM DROM FRROM		2004/09/09
tamper\$3) EPO; JPO; IBM_TDB Gad<19980917 and ((memory ROM PROM EPROM USPAT; 2004/09/09 EEPROM storage) with integra\$4 with US-PGPUB; tamper\$3) EPO; JPO; IBM_TDB USPAT; 2004/09/09 EEPROM storage) with integra\$4 with EPO; JPO;		211			
- 68 @ad<19980917 and ((memory ROM PROM EPROM USPAT; 2004/09/09 EEPROM storage) with integra\$4 with US-PGPUB; tamper\$3) EPO; JPO;					
- 68 @ad<19980917 and ((memory ROM PROM EPROM USPAT; 2004/09/09 EEPROM storage) with integra\$4 with US-PGPUB; 10:25 tamper\$3)					
EEPROM storage) with integra\$4 with US-PGPUB; 10:25 tamper\$3)	-	68			2004/09/09
tamper\$3) EPO; JPO;					10:25
IBM_TDB					
				IBM TDB	

		٥(A)		
[-		thes !	73	@ad<19980917 and ((memory ROM PROM EPROM	USPAT;	2004/09/09
		V	X	EEPROM storage) with integra\$5 with	US-PGPUB;	10:28
		,	\smile	mouse)	EPO; JPO;	
			1	,	IBM TDB	
_			127	@ad<19980917 and (key with integra\$4 with	USPAT;	2004/09/09
				processor)	US-PGPUB;	10:28
			_		EPO; JPO;	
		///	$\langle \mathcal{A} \rangle$		IBM_TDB	
_	,	51	35 /	@ad<19980917 and (key with integra\$4 with	USPAT;	2004/09/09
	AB)	} /\	\mathcal{L}	processor) and (\$2crypt\$3)	US-PGPUB;	10:32
	AP.	ר ' ו'			EPO; JPO;	
	۲'	r / /	(•	IBM_TDB	
-	41	DC 1	32	@ad<19980917 and (key with single with	USPAT;	2004/09/09
	(0-	\ \rac{1}{2}	. 1	processor) and (\$2crypt\$3)	US-PGPUB;	10:34
		Ì Ì			EPO; JPO;	
			\sim		IBM_TDB	
-		will	54	@ad<19980917 and (permanent\$3 adj key)	USPAT;	2004/09/09
		lo ,	\bigcirc		US-PGPUB;	10:38
					EPO; JPO;	ļ
-					IBM_TDB	0004/00/00
-			181	@ad<19980917 and ((tamper\$3 adj resist\$5)	USPAT;	2004/09/09
				with key)	US-PGPUB;	10:39
		۸.	امہ		EPO; JPO; IBM TDB	
	1	ki)dS		ead<19980917 and ((tamper\$3 adj resist\$5)	USPAT;	2004/09/09
-)	1	(²)	with permanent\$3 with key)	US-PGPUB;	10:41
		131	\bigcup	with permanents with key)	EPO; JPO;	10.41
-		W.			IBM TDB	
_			181	@ad<19980917 and ((tamper\$3 adj resist\$5)	USPAT;	2004/09/09
_			101	with key)	US-PGPUB;	10:48
				with key,	EPO; JPO;	
					IBM TDB	
_		1	0	@ad<19980917 and "secure command	USPAT;	2004/09/09
				interpreter"	US-PGPUB;	10:49
				• "	EPO; JPO;	
		16/			IBM TDB	
-	\wedge	β> (/16	<code>bad<19980917</code> and (biometric) and	USPAT;	2004/09/09
	Ρ	V)	1	(software same copyright\$3)	US-PGPUB;	12:52
	•	1316			EPO; JPO;	
		Ω_{C}	1	()	IBM_TDB	
-	ν	Υ /	/ 8	<code>dead<19980917</code> and ("encrypted keyboard"	USPAT;	2004/09/09
1	•	\		"encrypted keypad")	US-PGPUB;	14:46
			ļ		EPO; JPO;	
					IBM TDB	

Rast Available Copy